


SMD屏蔽功率电感

机械尺寸Mechanical: (UNIT: mm)



注: 印1号(宽1.74*高0.9)宋体

TYPE	A(max)	B(max)	C(Max)	D	E	F	G	H
CDH3B16B	4.00	1.80	5.50	4.00	1.00	4.00	1.50	1.00
CDH4B18	5.00	2.00	6.90	4.50	1.50	5.30	1.90	1.50
CDH4B28	5.00	3.00	6.90	4.50	1.50	5.30	1.90	1.50
CDH5B18	6.10	2.00	8.20	5.50	2.00	6.30	2.15	2.00
CDH5B28	6.10	3.00	8.20	5.50	2.00	6.30	2.15	2.00
CDH6B28	7.20	3.10	9.50	6.50	2.00	7.30	2.65	2.00
CDH6B38	7.20	4.00	9.50	6.50	2.00	7.30	2.65	2.00

电气特性

PART No.	NOMINAL INDUCTANCE (uH)	DCR (Ω)MAX	IDC (A)MAX
CDH3B16B-1R0N	1.0	45.50m	1.47
CDH3B16B-1R5N	1.5	52.00m	1.45
CDH3B16B-2R2N	2.2	72.00m	1.20
CDH3B16B-2R7N	2.7	75.00m	1.18
CDH3B16B-3R3N	3.3	85.00m	1.10
CDH3B16B-3R9N	3.9	95.00m	1.00
CDH3B16B-4R7N	4.7	105.00m	900m
CDH3B16B-5R6N	5.6	119.60m	822m
CDH3B16B-6R8N	6.8	170.00m	730m

CDH3B16B-8R2N	8.2	190.00m	621m
CDH3B16B-100M	10	210m	550m
CDH3B16B-120M	12	247m	500m
CDH3B16B-150M	15	295m	450m
CDH3B16B-180M	18	416m	410m
CDH3B16B-220M	22	430m	400m
CDH3B16B-270M	27	546m	370m
CDH3B16B-330M	33	675m	320m
CDH3B16B-390M	39	871m	278m
CDH3B16B-470M	47	962m	260m
CDH3B16B-560M	56	1. 09	242m
CDH3B16B-680M	68	1. 25	219m
CDH3B16B-820M	82	1. 50	200m
CDH3B16B-101M	100	1. 68	187m
CDH3B16B-121M	120	2. 15	178m
CDH3B16B-151M	150	2. 60	150m
CDH3B16B-181M	180	2. 86	138m
CDH3B16B-221M	220	4. 55	122m
CDH3B16B-271M	270	5. 07	105m
CDH3B16B-331M	330	5. 89	98m
CDH3B16B-391M	390	6. 50	96m
CDH3B16B-471M	470	7. 15	81m
CDH3B16B-561M	560	9. 75	70m
CDH3B16B-681M	680	12. 74	69m
PART No.	NOMINAL INDUCTANCE (uH)	DCR (Ω)MAX	IDC (A)MAX
CDH4B18-1R0N	1.0	28.60m	1. 80
CDH4B18-1R5N	1.5	45.50m	1. 45
CDH4B18-2R2N	2.2	52.00m	1. 40
CDH4B18-2R7N	2.7	58.50m	1. 30
CDH4B18-3R3N	3.3	62.40m	1. 15
CDH4B18-3R9N	3.9	65.00m	900m
CDH4B18-4R7N	4.7	78.00m	860m
CDH4B18-5R6N	5.6	98.80m	820m

CDH4B18-6R8N	6.8	143.00m	780m
CDH4B18-8R2N	8.2	156.00m	700m
CDH4B18-100M	10	158.60m	620m
CDH4B18-150M	15	247m	500m
CDH4B18-220M	22	260m	420m
CDH4B18-330M	33	546m	335m
CDH4B18-390M	39	585m	315m
CDH4B18-470M	47	845m	295m
CDH4B18-560M	56	910m	275m
CDH4B18-680M	68	1.00	245m
CDH4B18-820M	82	1.30	225m
CDH4B18-101M	100	1.56	205m
CDH4B18-121M	120	2.10	185m
CDH4B18-151M	150	2.34	155m
CDH4B18-181M	180	2.60	145m
CDH4B18-221M	220	3.38	140m
CDH4B18-271M	270	4.03	135m
CDH4B18-331M	330	4.56	130m
CDH4B18-391M	390	5.07	125m
CDH4B18-471M	470	5.46	120m
CDH4B18-561M	560	8.19	112m
CDH4B18-681M	680	10.01	108m
PART No.	NOMINAL INDUCTANCE (uH)	DCR (Ω)MAX	IDC (A)MAX
CDH4B28-1R0N	1.0	25.74m	2.70
CDH4B28-1R5N	1.5	27.30m	2.40
CDH4B28-2R2N	2.2	33.80m	1.80
CDH4B28-3R0N	3.0	48.10m	1.55
CDH4B28-3R9N	3.9	48.10m	1.50
CDH4B28-4R7N	4.7	52.00m	1.35
CDH4B28-5R6N	5.6	58.50m	1.21
CDH4B28-6R8N	6.8	88.40m	1.15
CDH4B28-100M	10	119.60m	1.00
CDH4B28-120M	12	140.40m	840m

CDH4B28-150M	15	156.00m	752m
CDH4B28-180M	18	195.00m	730m
CDH4B28-220M	22	247.00m	700m
CDH4B28-270M	27	299.00m	585m
CDH4B28-330M	33	325.00m	570m
CDH4B28-390M	39	351.00m	520m
CDH4B28-430M	43	377.00m	510m
CDH4B28-470M	47	442.00m	500m
CDH4B28-560M	56	468.00m	420m
CDH4B28-680M	68	546.00m	352m
CDH4B28-820M	82	780.00m	330m
CDH4B28-101M	100	858.00m	300m
CDH4B28-121M	120	1. 30	280m
CDH4B28-151M	150	1. 50	250m
CDH4B28-181M	180	1. 60	230m
CDH4B28-221M	220	1. 82	210m
CDH4B28-271M	270	2. 86	185m
CDH4B28-331M	330	3. 25	170m
CDH4B28-391M	390	4. 55	155m
CDH4B28-471M	470	5. 07	140m
CDH4B28-561M	560	5. 46	130m
CDH4B28-681M	680	6. 11	120m
PART No.	NOMINAL INDUCTANCE (uH)	DCR (Ω)MAX	IDC (A)MAX
CDH5B18-1R0N	1.0	17.68m	3. 00
CDH5B18-1R5N	1.5	23.40m	2. 30
CDH5B18-2R2N	2.2	36.40m	2. 10
CDH5B18-2R7N	2.7	40.30m	2. 00
CDH5B18-3R3N	3.3	49.40m	1. 83
CDH5B18-4R7N	4.7	65.00m	1. 60
CDH5B18-5R6N	5.6	72.80m	1. 45
CDH5B18-6R8N	6.8	78.00m	1. 31
CDH5B18-8R2N	8.2	96.20m	1. 10
CDH5B18-100M	10	124.00m	1. 04

CDH5B18-120M	12	153.00m	950m
CDH5B18-150M	15	196.00m	850m
CDH5B18-180M	18	210.00m	790m
CDH5B18-220M	22	290.00m	700m
CDH5B18-270M	27	330.00m	655m
CDH5B18-330M	33	385.00m	585m
CDH5B18-390M	39	520.00m	510m
CDH5B18-470M	47	595.00m	480m
CDH5B18-560M	56	665.00m	430m
CDH5B18-680M	68	840.00m	400m
CDH5B18-820M	82	978.00m	360m
CDH5B18-101M	100	1. 20	325m
CDH5B18-121M	120	1. 30	295m
CDH5B18-151M	150	1. 61	270m
CDH5B18-181M	180	2. 05	245m
CDH5B18-221M	220	2. 29	225m
CDH5B18-271M	270	2. 99	200m
CDH5B18-331M	330	3. 51	185m
CDH5B18-391M	390	4. 16	155m
CDH5B18-471M	470	4. 81	150m
CDH5B18-561M	560	5. 20	140m
CDH5B18-681M	680	6. 37	130m
PART No.	NOMINAL INDUCTANCE (uH)	DCR (Ω)MAX	IDC (A)MAX
CDH5B28-1R0N	1.0	15.60m	3. 45
CDH5B28-1R8N	1.8	22.10m	2. 70
CDH5B28-2R2N	2.2	24.70m	2. 30
CDH5B28-2R7N	2.7	28.60m	2.26
CDH5B28-3R3N	3.3	32.50m	2. 23
CDH5B28-4R7N	4.7	39.00m	1. 90
CDH5B28-5R6N	5.6	44.20m	1. 76
CDH5B28-6R8N	6.8	52.00m	1. 63
CDH5B28-8R2N	8.2	58.50m	1. 50
CDH5B28-100M	10	78.00m	1. 30